


648 555 P-51D engine

for Eduard kit - pro stavěbnici Eduard

eduard
BRASSIN

1/48 scale



COLOURS

GSI Creos (GUNZE)		
AQUEOUS	Mr.COLOR	
[H 2]	[C 2]	BLACK
[H 8]	[C 8]	SILVER
[H 12]	[C 33]	FLAT BLACK
	[C 352]	CHROMATE YELLOW

Mr.METAL COLOR	

This product contains metal and resin detail parts for upgrading scale plastic models. When selecting this set make sure that it is for the kit mentioned in product name as these sets are made specifically for that kit. When upgrading the model some cutting or corrections may be necessary for parts to fit accurately. **WARNING!** This set contains small and sharp parts. Work carefully in a ventilated and well-lit room. Safety glasses are recommended. This product is not suitable for children below 14 years of age.

Tento výrobek obsahuje leptané a odlévané detaily pro úpravu a vylepšení plastického modelu. Při výběru sady kovových detailů zkontrolujte, zda je určena pro model, který chcete upravit. Model, pro který je sada určena, je uveden u názvu výrobku. Pro přesnou aplikaci kovových a odlévaných dílů může být zapotřebí upravit díly upravovaného modelu. **POZOR!** Sada obsahuje malé ostré díly. Pracujte ve větrané a dobře osvětlené místnosti. Doporučujeme použití ochranných brýlí. Tento výrobek není vhodný pro děti mladší 14 let.

eduard
435 21 Obrnice 170
Czech Republic
www.eduard.com



www.eduard.com

44,95




648 555 P-51D engine

for Eduard kit - pro stavěbnici Eduard

1/48

BRASSIN





BRASSIN

eduard





BEST ~~BRASS~~ RESIN AROUND!

1



- REMOVE
ODSTRANIT
- GRIND
OBROUSIT
- DRILL HOLE
VRTAT OTVOR
- SYMMETRICAL ASSEMBLY
SYMETRICKA MONTAZ
- SCRIBE THE PANEL AND HOLES
RYTI
- REVERSE SIDE
OTOCIT
- BEND
OHNOUT
- OPTION
VOLBA
- REPLACE
NAHRADIT

2




wires Ø - 0,2mm

H12
C33
FLAT BLACK



w1	l - 4mm	w7	l - 4mm
w2	l - 5mm	w8	l - 4mm
w3	l - 3mm	w9	l - 4mm
w4	l - 4mm	w10	l - 4mm
w5	l - 5mm	w11	l - 6mm
w6	l - 4mm	w12	l - 5mm

3




4


$\varnothing - 0,5mm$
 $l - 5mm$




5




6







12




13



14




15




H 8
C 8
SILVER

H 12
C 33
FLAT BLACK

R121




16




H 8
C 8
SILVER

H 12
C 33
FLAT BLACK



R125



17



PE9
PE8




R131

R138

C352
CHROMATE
YELLOW

H 8
C 8
SILVER




H 2
C 2
BLACK

H 12
C 33
FLAT BLACK

R124

Ø - 0,4mm
l - 20,5mm

Ø - 0,4mm
l - 25mm






H 2
C 2
BLACK


H 2
C 2
BLACK

Ø - 0,4mm
l - 25mm



18




19




20

















21






**CORRECT POSITION
PE3, R139**






B**26****C****27****28****29**



PE5 for version with **C** only

30


 =  **plastic parts**










31



32



COWLINGS



INNER SURFACES

 **CHROMATE
YELLOW**

OUTER SURFACES camouflage color or NMF